

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"7187658".pn. and signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:04
L2	1	"7187658".pn. and dynamic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:05
L3	0	"7187658".pn. and profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:05
L4	0	"7187658".pn. and characterisitc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:06
L5	0	10/665750 and author\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:07
L6	1	10/669750 and author\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:07
L7	1	10/669750 and automatic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:07
L8	1	09/282136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:10
L9	782	(select\$3 choos\$3 determin \$3) with (best near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:13

L10	3529	cost and security and bandwidth and QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:13
L11	47	10 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:13
L12	14318950	@ad<"20030924" @rlad<"20030924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:13
L13	16	11 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:14
L14	1	((dynamic\$4 near5 connect \$3) with (best near2 network)) and (((user client static) near5 connect\$3) with (best near2 network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:26
L15	43	(((user client static) near5 connect\$3) with (best near2 network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:26
L16	8	(automatic\$4 dynamic\$4) near5 connect\$3 with (best near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:27
L17	1	15 and 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:27
L18	1	16 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:27
L19	19	15 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:27
L20	37316	user near2 authoriz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:31

L21	0	user near2 authoriz\$3 near5 connect\$3 near5 (best near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:31
L22	1	user near2 authoriz\$3 with (best near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:31
L23	5	authoriz\$3 with (best near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 18:31
L24	0	authoriz\$3 with "7187658". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:05
L25	3057	authoriz\$3 with connect\$3 with (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:06
L26	6708	automatic\$3 with connect\$3 with (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:06
L27	107	25 and 26 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:06
L28	5039	(automatic\$5 near5 connect \$3 near5 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:07
L29	964	(manual\$4 near5 connect\$3 near5 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:07
L30	109	28 and 29 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:07
L31	24	(automatic\$5 near5 (log\$in log\$on) near5 connect\$3 near5 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:22

L32	8	(manual\$4 near5 (log\$in log\$on) near5 connect\$3 near5 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:23
L33	0	31 and 32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:23
L34	331	(manual\$4 same automatic\$4 same ((log\$in log\$on login logon log\$4)) same connect\$3 near5 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:24
L35	164	34 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:24
L36	0	35 and (determin\$3 near2 available near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:25
L37	38	35 and (determin\$3 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:25
L38	1	"20020046292"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:32
L39	2	"20070117564" and signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:34
L40	0	"7187658".pn. and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:40
L41	0	"7187658".pn. and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/13 19:40
S1	0	"7187658".pn. and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:50

S2	0	"7187658".pn. and wired	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:50
S3	0	"7187658".pn. and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:51
S4	1	"20050066033" and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:52
S5	14224902	@ad<"20030924" @rlad<"20030924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:52
S6	1944	select\$3 with best with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:54
S7	877	S6 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:53
S8	581	S7 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:53
S9	131	S8 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:55
S10	119	S9 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:55
S11	221	S6 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 12:55
S12	581	S6 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00

S13	119	S11 and S12 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00
S14	68200	(network near5 select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00
S15	108871	(wireless wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00
S16	20808	(wireless and wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:00
S17	2268	S14 and S16 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 13:03
S18	98	S17 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:16
S19	1	"6714540".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:18
S20	1	"6223261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:23
S21	0	"20050080754" and occurrence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:23
S22	1	"20050080754" and stop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:26
S23	52	"5121390"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:28

S24	13	((stop disable cease\$1) with receiv\$3 with (interrupt)) same (establish\$3 near2 (communication connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:33
S25	1	"6760799".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 14:33
S26	29	("5161226" "5163152" "5218703" "5317747" "5363506" "5606703" "5708814" "5768630" "5842078" "5881296" "5905913" "5983275" "6021446" "6038607" "6065089" "6070219" "6115779" "6195725" "6219727" "6233643" "6266732" "6351785" "6370607" "6389526" "6467008" "6615342").PN. OR ("6760799").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:34
S27	3939022	@ad<"20011213" @rlad<"20011213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:34
S28	27	S26 and S27	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:35
S29	27	S28 and interrupt\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:35
S30	17	S29 and communication	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:35
S31	3	S29 and ((communication connection) with establish \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:48
S32	452	stop with receive with interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:49
S33	264	S32 and S27	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:49
S34	113	stop near5 receive near5 interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:51
S35	86	S34 and S27	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:51
S36	304827	(communication connection) with establish\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:51

S37	78	stop near5 (receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S38	1	S36 same S37	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S39	7344	(receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S40	1351	S36 and S39	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S41	25	S36 same S39	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S42	16	S41 and S27	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/10 14:52
S43	25730	(communication connection) near15 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 15:12
S44	18978	(communication connection) near5 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 15:12
S45	13390	S44 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:06
S46	12885	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:06
S47	6834	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:06
S48	1	"20050066033"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 13:15
S49	1	"7187658".pn. and (query obtain\$3 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 13:36

S50	0	"200200462952"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 14:44
S51	1	"20020046292"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 14:45
S52	0	"7187658".pn. and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S53	0	"7187658".pn. and wired	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S54	0	"7187658".pn. and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S55	1	"20050066033" and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S56	14284970	@ad<"20030924" @rlad<"20030924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S57	2104	select\$3 with best with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S58	989	S57 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S59	622	S58 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S60	137	S59 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01

S61	124	S60 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S62	254	S57 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S63	660	S57 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S64	124	S62 and S63 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S65	72677	(network near5 select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S66	122664	(wireless wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S67	23940	(wireless and wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S68	2408	S65 and S67 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S69	103	S68 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S70	1	"6714540".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S71	1	"6223261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01

S72	0	"20050080754" and occurrence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S73	1	"20050080754" and stop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S74	52	"5121390"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S75	13	((stop disable cease\$1) with receiv\$3 with (interrupt)) same (establish\$3 near2 (communication connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S76	1	"6760799".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S77	30	("5161226" "5163152" "5218703" "5317747" "5363506" "5606703" "5708814" "5768630" "5842078" "5881296" "5905913" "5983275" "6021446" "6038607" "6065089" "6070219" "6115779" "6195725" "6219727" "6233643" "6266732" "6351785" "6370607" "6389526" "6467008" "6615342").PN. OR ("6760799").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S78	3958436	@ad<"20011213" @rlad<"20011213"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S79	28	S77 and S78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S80	27	S79 and interrupt\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S81	17	S80 and communication	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S82	3	S80 and ((communication connection) with establish \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01

S83	461	stop with receive with interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S84	265	S83 and S78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S85	117	stop near5 receive near5 interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S86	86	S85 and S78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S87	319504	(communication connection) with establish\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S88	81	stop near5 (receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S89	1	S87 same S88	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S90	7643	(receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S91	1423	S87 and S90	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S92	25	S87 same S90	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S93	16	S92 and S78	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 15:01
S94	26561	(communication connection) near15 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S95	19525	(communication connection) near5 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S96	13548	S95 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S97	14196	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01

S98	7436	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:01
S99	0	"7187658".pn. and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S100	0	"7187658".pn. and wired	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S101	0	"7187658".pn. and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S102	1	"20050066033" and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S103	14284970	@ad<"20030924" @rlad<"20030924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S104	2104	select\$3 with best with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S105	989	S104 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S106	622	S105 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S107	137	S106 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S108	124	S107 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

S109	254	S104 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S110	660	S104 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S111	124	S109 and S110 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S112	72677	(network near5 select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S113	122664	(wireless wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S114	23940	(wireless and wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S115	2408	S112 and S114 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S116	103	S115 and S104	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S117	1	"6714540".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S118	1	"6223261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S119	0	"20050080754" and occurrence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

S120	1	"20050080754" and stop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S121	52	"5121390"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S122	13	((stop disable cease\$1) with receiv\$3 with (interrupt)) same (establish\$3 near2 (communication connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S123	1	"6760799".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S124	30	("5161226" "5163152" "5218703" "5317747" "5363506" "5606703" "5708814" "5768630" "5842078" "5881296" "5905913" "5983275" "6021446" "6038607" "6065089" "6070219" "6115779" "6195725" "6219727" "6233643" "6266732" "6351785" "6370607" "6389526" "6467008" "6615342").PN. OR ("6760799").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S125	3958436	@ad<"20011213" @rlad<"20011213"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S126	28	S124 and S125	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S127	27	S126 and interrupt\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S128	17	S127 and communication	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S129	3	S127 and ((communication connection) with establish \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S130	461	stop with receive with interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08

S131	265	S130 and S125	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S132	117	stop near5 receive near5 interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S133	86	S132 and S125	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S134	319504	(communication connection) with establish\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S135	81	stop near5 (receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S136	1	S134 same S135	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S137	7643	(receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S138	1423	S134 and S137	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S139	25	S134 same S137	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S140	16	S139 and S125	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S141	26561	(communication connection) near15 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S142	19525	(communication connection) near5 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S143	13548	S142 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S144	14196	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

S145	7436	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S146	1	"20050066033"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S147	1	"7187658".pn. and (query obtain\$3 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S148	0	"200200462952"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S149	1	"20020046292"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S150	0	"7187658".pn. and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S151	0	"7187658".pn. and wired	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S152	0	"7187658".pn. and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S153	1	"20050066033" and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S154	14284970	@ad<"20030924" @rlad<"20030924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S155	2104	select\$3 with best with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

S156	989	S155 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S157	622	S156 and S154	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S158	137	S157 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S159	124	S158 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S160	254	S155 and (wire\$2 near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S161	660	S155 and (wireless near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S162	124	S160 and S161 and S154	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S163	72677	(network near5 select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S164	122664	(wireless wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S165	23940	(wireless and wire\$2) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S166	2408	S163 and S165 and S154	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

S167	103	S166 and S155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S168	1	"6714540".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S169	1	"6223261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S170	0	"20050080754" and occurrence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S171	1	"20050080754" and stop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S172	52	"5121390"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S173	13	((stop disable cease\$1) with receiv\$3 with (interrupt)) same (establish\$3 near2 (communication connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S174	1	"6760799".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S175	30	("5161226" "5163152" "5218703" "5317747" "5363506" "5606703" "5708814" "5768630" "5842078" "5881296" "5905913" "5983275" "6021446" "6038607" "6065089" "6070219" "6115779" "6195725" "6219727" "6233643" "6266732" "6351785" "6370607" "6389526" "6467008" "6615342").PN. OR ("6760799").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08

S176	3958436	@ad<"20011213" @rlad<"20011213"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S177	28	S175 and S176	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S178	27	S177 and interrupt\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S179	17	S178 and communication	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S180	3	S178 and ((communication connection) with establish \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S181	461	stop with receive with interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S182	265	S181 and S176	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S183	117	stop near5 receive near5 interrupt	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S184	86	S183 and S176	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S185	319504	(communication connection) with establish\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S186	81	stop near5 (receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S187	1	S185 same S186	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S188	7643	(receive near2 interrupt)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S189	1423	S185 and S188	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S190	25	S185 same S188	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08
S191	16	S190 and S176	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 16:08

S192	26561	(communication connection) near15 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S193	19525	(communication connection) near5 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S194	13548	S193 and S154	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S195	14196	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08
S196	7436	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:08

8/ 13/ 2008 8:15:11 PM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\ 10669750.wsp